



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

AUSTRIA—*Brünn*.—Month of November, 1906. Estimated population, 95,342. Total number of deaths, 191, including diphtheria 3, enteric fever 1, measles 3, and 46 from tuberculosis.

BRAZIL—*Ceara*.—Month of November, 1906. Estimated population, 50,000. Total number of deaths, 70, including 4 from enteric fever.

State of São Paulo, including the cities of *São Paulo*, *Santos*, and *Campinas*.—Week ended December 23, 1906. Estimated population, 286,000. Total number of deaths, 207, including diphtheria 2, enteric fever 4, measles 1, and 17 from tuberculosis.

CUBA—*Habana*.—Month of December, 1906. Estimated population, 275,000. Total number of deaths reported, 561, including diphtheria 10, enteric fever 1, whooping cough 1, leprosy 3, yellow fever 1, and 96 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended January 12, 1907, correspond to an annual rate of 20.7 per 1,000 of population, which is estimated at 16,024,458.

London.—One thousand nine hundred and forty-six deaths were registered during the week, including measles 28, scarlet fever 9, diphtheria 12, enteric fever 11, whooping cough 31, and 18 from diarrhea. The deaths from all causes correspond to an annual rate of 21.3 per 1,000. In Greater London 2,722 deaths were registered. In the "outer ring" the deaths included 5 from diphtheria, measles 3, 3 from whooping cough, and 3 from scarlet fever.

Ireland.—The average annual death rate represented by the deaths registered during the week ended January 12, 1907, in the 21 principal town districts of Ireland was 25.4 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Newtownards, viz, 5.7, and the highest in Kilkenny, viz, 44.2 per 1,000. In Dublin and suburbs 219 deaths were registered, including diphtheria 1, measles 3, enteric fever 1, whooping cough 2, and 38 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended January 12, 1907, correspond to an annual rate of 20.8 per 1,000 of the population, which is estimated at 1,812,171. The lowest rate of mortality was recorded in Paisley, viz, 18.2, and the highest in Greenock, viz, 25.6 per 1,000. The aggregate number of deaths registered from all causes was 721, including diphtheria 6, enteric fever 4, scarlet fever 3, measles 9, and 19 from whooping cough.

WEST INDIES—*Curaçao*.—Two weeks ended January 18, 1907. Estimated population, 31,600. Total number of deaths, 16. No deaths from contagious diseases.

St. Thomas.—Two weeks ended January 4, 1907. Estimated population, 11,012. Total number of deaths, 11, including 1 from tuberculosis.

Cholera, yellow fever, plague, and smallpox from December 28, 1906, to February 8, 1907.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls through the Department of State, and from other sources.]

[For reports received from June 29, 1906, to December 28, 1906, see PUBLIC HEALTH REPORTS for December 28, 1906.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Bombay	Nov. 28-Jan. 1		29	
Calcutta	Nov. 11-Dec. 15		447	
Cochin	Oct. 26-Dec. 7		23	
Karachi	Nov. 2-Dec. 7	11	13	
Madras	Nov. 17-30		4	
Negapatam	Oct. 27-Dec. 14		12	
Rangoon	Nov. 25-Dec. 22		113	
Philippine Islands:				
Manila	Nov. 18-Dec. 1	3	2	
Provinces—				
Capiz	Nov. 25-Dec. 15	77	54	
Iloilo	Nov. 18-Dec. 1	82	63	
Moro, Camp Vicars	Nov. 18-24	5	3	
Negros Occidental	Nov. 18-Dec. 15	30	20	
Pampanga	Nov. 18-24	2	1	
Rizal	Nov. 18-24	1	1	
Samar	Dec. 2-15	38	30	
Tarlac	Nov. 18-24	2	2	
Straits Settlements:				
Singapore	Jan. 1-Oct. 16	185	167	

YELLOW FEVER.

Africa:				
Dahomey.....	Nov. 17			Present. Do
Togo	Nov. 17			
Brazil:				
Para	July 1-Sept. 30 ^a		27	
Rio de Janeiro	Nov. 12-Dec. 8	5	3	
Cuba:				
Habana	Dec. 31	1		
Santa Clara	Jan. 8-10	1	1	
Ecuador:				
Guayaquil	Nov. 16-Dec. 15		23	
Salvador	Jan. 12			Epidemic.

PLAGUE.

Arabia:				
Djeddah	Jan. 9-15	8	4	
Argentina:				
Buenos Aires	Dec. 16-22	5	4	
Australia:				
Brisbane	Nov. 16-24	2	2	
Brazil:				
Bahia	Dec. 2-15	10	8	
Para	July 1-31 ^a		2	
Pernambuco	Nov. 1-15		3	
Rio de Janeiro	Nov. 12-Dec. 30	85	36	
São Paulo	Nov. 12-Dec. 16		6	
Chile:				
Antofagasta	Nov. 22-Dec. 15	9	3	
China:				
Hongkong	Nov. 4-10	1	1	
Niuchwang	Jan. 28			Present.
Ecuador:				
Guayaquil	Nov. 16-Dec. 15		46	

^a Reports for July and August received out of date.